## Material Safety Data Sheet

May be used to comply with
OSHA's Hazard Communication Standard
29 CFR 1910.1200

## U.S. Department of Labor

Occupational Safety and Health Administration (Non-Mandatory Form) Form approved

Standard must be consulted for specific	c requireme	nts OM	B No. 1218-0	072		
		. That the will be to			1414141114111	Million III
IDENTITY (As used on label and list) Status H. pylori		Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must				
		be marked to indicate that.				
Section I	.jn-:				AND MAKE TOWN THE	100000000000000000000000000000000000000
			Aldini zare		44 (41 (41)	1.11
Manufactured for LifeSign LLC		Emergency Telephone Number 800-526-2125				
Address (Number, Street, City, State & Zip Code)		Telephone Number for Information 732-246-3366				
71 Veronica Avenue		Date Prepared 09/96; Rev. 10/99,12/0				
Somerset, NJ 08873		Signature of Preparer (optional)				
		in all the second			Gestini (C)	1
Section II - Hazardous Ingred	lient/lde	ntity Inform	ation		the Prince of Control (Control	
jiolestekkiisi kuutesta kuuliksi joksi Nii Eest		nomách Potak			Harris III	i i i i i i i i i i i i i i i i i i i
Hazardous Components Co	ommon -	OHSA	ACGIH	Other Li	mits	%
(Specific Chemical Identity) Name(s)		PEL TLV Recommended			ended	(Optional)
Nitrocellulose membrane (<0.5 gm) test	2.9		30 TO 10 TO			
sodium azide, sodium phosphate, dibasi		and the second of the second state of the second state of the second second second second second second second	and the state of t		le,	
potassium phosphate, monobasic, EDT	A, bovine se	erum albumin, a	nd colloidal g	old.		
					制度的例如	Holy Co.
Section III - Physical/Chemic	al Chara	cteristics				9
国的特别的特别的特别的特别的 <b>的特别的</b>		a photoblant atte				
Boiling Point Not app	licable	Specific Grav	ity (H2O = 1	)	Not avai	lable
Vapor Pressure (mm Hg) Not app	Not applicable				Not appl	1 1 1
Vapor Density (Air = 1) Not app	licable				2000	icable
Solubility in Water Test stri	neadic	Evaporation	Rate (Butyl A	cetate = 1)	Not appl	
Solubility in vialer 1 est stri		Evaporation lase minute amou				icable
	p may relea	se minute amou	nts of the che			icable
upon reconstitution in water. Nitrocellu	p may relea lose membr	se minute amou	nts of the che le in water.			icable
upon reconstitution in water. Nitrocellu	p may relea lose membr	se minute amou	nts of the che le in water.			icable
upon reconstitution in water. Nitrocellu Appearance and Odor Test stri	p may relea lose membr p in a seale	ase minute amou ane is not solub d pouch. Odorle	nts of the che le in water.			icable
upon reconstitution in water. Nitrocellu	p may relea lose membr p in a seale	ase minute amou ane is not solub d pouch. Odorle	nts of the che le in water.			icable
upon reconstitution in water. Nitrocellu Appearance and Odor Test stri	p may relea lose membr p in a seale on Hazai	ise minute amou ane is not solub d pouch. Odorle rd Data	nts of the che le in water.	micals listed		icable
upon reconstitution in water. Nitrocellu Appearance and Odor Test stri Section IV - Fire and Explosi	p may relea lose membr p in a seale on Hazai Flamma	se minute amou ane is not solub d pouch. Odorle rd Data	nts of the che le in water. ss.	micals listed	above in	icable Section II

None

None

Special Fire Fighting Procedure

Unusual Fire and Explosion Hazards

Follow good laboratory practices.

Work/Hygienic Practices