

SAFETY DATA SHEET

Creation Date 10-Nov-2014

Revision Date 26-Jan-2015

Revision Number 1

1. Identification

Product Name Resolve High Viscosity

Cat No. : 123651, 23244263, 23244265, 23244267

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against No Information available

Details of the supplier of the safety data sheet

Company
Richard Allan Scientific
A Subsidiary of Thermo Fisher Scientific
4481 Campus Drive
Kalamazoo, MI 49008
Tel: (800) 522-7270

Emergency Telephone Number
Chemtrec US: (800) 424-9300
Chemtrec EU: 001 (202) 483-7616

2. Hazard(s) identification

Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Based on available data, the classification criteria are not met

Label Elements

None required

Hazards not otherwise classified (HNOC)

None identified

Unknown Acute Toxicity

.? % of the mixture consists of ingredients of unknown toxicity.

3. Composition / information on ingredients

| Component | CAS-No | Weight % |
|---|------------|----------|
| White mineral oil | 8042-47-5 | 20 - 24 |
| Polyphenyls, quater- and higher, partially hydrogenated | 68956-74-1 | 1 - 2 |
| Hydrogenated terphenyls | 61788-32-7 | 20 - 25 |
| Polybutene | 9003-29-6 | 48 - 51 |
| Terphenyls | 26140-60-3 | 1 - 4 |

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

| | |
|---|--|
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. |
| Inhalation | Move to fresh air. |
| Ingestion | Do not induce vomiting. |
| Most important symptoms/effects Notes to Physician | No information available. Treat symptomatically |

5. Fire-fighting measures

| | |
|---|---|
| Suitable Extinguishing Media | Water spray. Carbon dioxide (CO ₂). Dry chemical. alcohol-resistant foam. |
| Unsuitable Extinguishing Media | No information available |
| Flash Point Method - | 148.89 °C / 300 °F No information available |
| Autoignition Temperature | No information available |
| Explosion Limits | |
| Upper | No data available |
| Lower | No data available |
| Sensitivity to Mechanical Impact | No information available |
| Sensitivity to Static Discharge | No information available |

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Carbon monoxide (CO) Carbon dioxide (CO₂)

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

| | | | |
|--------------------|--------------------------|-------------------------|------------------------------|
| Health 1 | Flammability 1 | Instability 0 | Physical hazards - |
|--------------------|--------------------------|-------------------------|------------------------------|

6. Accidental release measures

| | |
|----------------------------------|---|
| Personal Precautions | Ensure adequate ventilation. Use personal protective equipment. |
| Environmental Precautions | See Section 12 for additional ecological information. |

Methods for Containment and Clean Up Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

7. Handling and storage

| | |
|-----------------|--|
| Handling | Ensure adequate ventilation. |
| Storage | Keep containers tightly closed in a dry, cool and well-ventilated place. |

8. Exposure controls / personal protection

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-------------------------|------------------------------|--|--|
| Hydrogenated terphenyls | TWA: 0.5 ppm | (Vacated) TWA: 0.5 ppm (Vacated) TWA: 5 mg/m ³ | TWA: 0.5 ppm TWA: 5 mg/m ³ |
| Terphenyls | Ceiling: 5 mg/m ³ | Ceiling: 1 ppm Ceiling: 9 mg/m ³ (Vacated) Ceiling: 0.5 ppm (Vacated) Ceiling: 5 mg/m ³ | IDLH: 500 mg/m ³ |

| Component | Quebec | Mexico OEL (TWA) | Ontario TWAEV |
|-------------------------|---|--|--------------------------|
| Hydrogenated terphenyls | TWA: 0.5 ppm TWA: 4.9 mg/m ³ | TWA: 0.5 ppm TWA: 5 mg/m ³ | TWA: 0.5 ppm |
| Terphenyls | Ceiling: 0.53 ppm Ceiling: 5 mg/m ³ | Ceiling: 0.5 ppm | CEV: 5 mg/m ³ |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment**Eye/face Protection**

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

| | |
|---|--------------------------|
| Physical State | Liquid |
| Appearance | Light yellow |
| Odor | Odorless |
| Odor Threshold | No information available |
| pH | No information available |
| Melting Point/Range | No data available |
| Boiling Point/Range | No information available |
| Flash Point | 148.89 °C / 300 °F |
| Evaporation Rate | No information available |
| Flammability (solid,gas) | No information available |
| Flammability or explosive limits | |
| Upper | No data available |
| Lower | No data available |
| Vapor Pressure | No information available |
| Vapor Density | No information available |
| Relative Density | 0.92 |
| Solubility | No information available |
| Partition coefficient; n-octanol/water | No data available |
| Autoignition Temperature | No information available |
| Decomposition Temperature | No information available |
| Viscosity | No information available |

10. Stability and reactivity

| | |
|---|---|
| Reactive Hazard | None known, based on information available |
| Stability | Stable under normal conditions. |
| Conditions to Avoid | Incompatible products. Excess heat. |
| Incompatible Materials | Strong oxidizing agents |
| Hazardous Decomposition Products | Carbon monoxide (CO), Carbon dioxide (CO ₂) |
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Hazardous Reactions | None under normal processing. |

11. Toxicological information

Acute Toxicity

| | |
|--------------------|---|
| Oral LD50 | Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. |
| Dermal LD50 | Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. |
| Vapor LC50 | Based on ATE data, the classification criteria are not met. ATE > 20 mg/l. |

Component Information

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-------------------------|---------------------|------------------------|----------------------|
| White mineral oil | >5000 mg/kg (Rat) | >3000 mg/kg (Rabbit) | Not listed |
| Hydrogenated terphenyls | 10200 mg/kg (Rat) | 6800 mg/kg (Rabbit) | 4.3 mg/L (Rat) 4 h |
| Terphenyls | Not listed | 12500 mg/kg (Rabbit) | Not listed |

Toxicologically Synergistic Products No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component | CAS-No | IARC | NTP | ACGIH | OSHA | Mexico |
|---|------------|------------|------------|------------|------------|------------|
| White mineral oil | 8042-47-5 | Not listed |
| Polyphenyls, quater- and higher, partially hydrogenated | 68956-74-1 | Not listed |
| Hydrogenated terphenyls | 61788-32-7 | Not listed |
| Polybutene | 9003-29-6 | Not listed |
| Terphenyls | 26140-60-3 | Not listed |

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure None known

STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects, both acute and No information available

delayed**Endocrine Disruptor Information** No information available**Other Adverse Effects** The toxicological properties have not been fully investigated.**12. Ecological information****Ecotoxicity**

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|-------------------------|-----------------------|----------------------|------------|------------------------|
| White mineral oil | Not listed | 10000 mg/L LC50 96 h | Not listed | Not listed |
| Hydrogenated terphenyls | 0.53 mg/L EC50 > 96 h | 0.53 mg/L LC50 96 h | Not listed | 0.011 mg/L EC50 = 48 h |
| Terphenyls | 0.02 mg/L EC50 = 96 h | 0.11 mg/L LC50 96 h | Not listed | 0.11 mg/L EC50 > 48 h |

Persistence and Degradability No information available**Bioaccumulation/ Accumulation** No information available.**Mobility**

| Component | log Pow |
|-------------------|---------|
| White mineral oil | 6 |

13. Disposal considerations**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.**14. Transport information****DOT** Not regulated**TDG** Not regulated**IATA** Not regulated**IMDG/IMO** Not regulated**15. Regulatory information**

All of the components in the product are on the following Inventory lists: Australia X = listed China Canada The product is classified and labeled according to EC directives or corresponding national laws The product is classified and labeled in accordance with Directive 1999/45/EC Europe TSCA Philippines

International Inventories

| Component | TSCA | DSL | NDSL | EINECS | ELINCS | NLP | PICCS | ENCS | AICS | IECSC | KECL |
|---|------|-----|------|-----------|--------|--|-------|------|------|-------|------|
| White mineral oil | X | X | - | 232-455-8 | - | | X | X | X | X | X |
| Polyphenyls, quater- and higher, partially hydrogenated | X | X | - | 273-316-1 | - | | X | - | X | X | - |
| Hydrogenated terphenyls | X | X | - | 262-967-7 | - | | X | X | X | X | X |
| Polybutene | X | X | - | - | - | products derived from But-1-ene or But-2-ene, consisting of 50% w/w or more of | X | X | X | X | X |

| | | | | | | | | | | | |
|------------|---|---|---|-----------|---|--------------------------------------|---|---|---|---|---|
| | | | | | | species of the same molecular weight | | | | | |
| Terphenyls | X | X | - | 247-477-3 | - | | X | X | X | X | X |

Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B)).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

SARA 311/312 Hazardous Categorization

| | |
|-----------------------------------|----|
| Acute Health Hazard | No |
| Chronic Health Hazard | No |
| Fire Hazard | No |
| Sudden Release of Pressure Hazard | No |
| Reactive Hazard | No |

Clean Water Act Not applicable

Clean Air Act Not applicable

OSHA Occupational Safety and Health Administration
Not applicable

CERCLA
Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals

State Right-to-Know

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|-------------------------|---------------|------------|--------------|----------|--------------|
| Hydrogenated terphenyls | X | X | X | - | - |
| Terphenyls | X | X | X | - | X |

U.S. Department of Transportation

| | |
|-----------------------------|---|
| Reportable Quantity (RQ): | N |
| DOT Marine Pollutant | N |
| DOT Severe Marine Pollutant | N |

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Minimum risk, Grade 0 Slight risk, Grade 1

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class Non-controlled

16. Other information

Prepared By Regulatory Affairs
Richard Allan Scientific
A Subsidiary of Thermo Fisher Scientific
Tel: (800) 522-7270

Creation Date 10-Nov-2014
Revision Date 26-Jan-2015
Print Date 26-Jan-2015
Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS